The following conventions are used in these tables:

- X reaction noted (package inserts)
- X[3] number of published reports of a reaction
- (8%) highest incidence that has been noted or reported
- ? 20 reports or over, or an incidence of 20% or over, recorded for this reaction for a minority of drugs in the class
- v at least half the drugs in the class selection have this reaction noted or reported
- vv all drugs in the class selection have this reaction noted or reported

Note: reactions noted or reported for only one drug in a class selection have been excluded





CLASS REACTIONS

CALCIUM CHANNEL BLOCKERS

CALCIUM CHANNEL BLOCKERS

	Α	В	D	F	ı	Nic	Nif	Nim	Nis	V	=
SKIN		1				1			1	1	
Acneform eruption			X[1]					Х	Х	X[1]	
AGEP			X[16]				X[3]	X[I]			
Angioedema	X[5] (6%)		X[2]			X[1]	X[2]		Х	X[3]	✓
Candidiasis							X[1] (16%)				
Cellulitis							×		Х		
Dermatitis	X (I-I0%)		×				X[1]			×	
Diaphoresis	×	Х	X[2]	X[1]	Х		X[2]	Х	Х	X[2]	✓
Ecchymoses			×						Х	X[1]	
Edema	X[13] (5–14%)	X (I-I0%)	X[4] (1–10%)	X[1]	X[6] (7%)	X	X[3]	X	X[1]	X[1]	√√
Erythema			X[2]	X			X[2]				
Erythema multiforme	X[2]		X[10] (31%)				X[4]			X[4]	?
Erythema nodosum							X[2]			X[1]	
Exanthems	X[1]		X[16] (31%)	X[2]	X[2]	Х	X[9]	X[1]	X[1]	X[7]	✓
Exfoliative dermatitis	×		X[6]				X[5]		Х	X[2]	✓
Facial edema				Х			×		Х		
Hyperkeratosis			X[1]							X[2]	
Hypersensitivity			X[2]						Х		
Lichenoid eruption	X[1]		X[2]				X[3]			×	
Lupus erythematosus	X[1]		X[5]				X[3]			X[3]	
Peripheral edema	X[27] (34%)	X	X[2] (5–8%)	X[6] (22%)	X	X[2] (7%)	X[9]	X	X[6] (22%)	X[I] (I-I0%)	√√
Petechiae	X[1]		×				×		Х		
Photosensitivity			X[13]				X[6]		Х	X[4]	
Pigmentation	X[2]		X[10]						Х		
Pruritus	X[4]		X[7]	X	X[I] (6%)		X[3]	X	X	X[6]	✓
Pseudolymphoma	X[I]		X[1]								
Purpura	X[I]		X[3]	X[1]			X[3]	Х		X[1]	✓
Pustules			X[2]						X		

A Amlodipine; B Bepridil; D Diltiazem; F Felodipine; I Isradipine; Nic Nicardipine; Nif Nifedipine; Nim Nimodipine; Nis Nisoldipine; V Verapamil

Litt's D.E.R.M. © 2013 by Taylor & Francis Group, LLC













CALCIUM CHANNEL BLOCKERS

CLASS REACTIONS

	A	В	D	F	1	Nic	Nif	Nim	Nis	v	=
Rash	X (1-10%)	X[I]	X[4]	×	X	X[3]	X[2]	Х	Х	X[2]	√ √
Stevens-Johnson syndrome	X		X[4]				X[3]			X[5]	
Telangiectasia	X[4]			X[2]			X[3]				
Toxic epidermal necrolysis	X[1]		X[4]				X[2]				
Ulcerations							X[I]		Х		
Urticaria	×		X[4]	×	Х	X[3]	X[7]		Х	X[5]	✓
Vasculitis	X[2]		X[6]				X[3]			X[2]	
Xerosis	X								Х		
HAIR									•		
Alopecia	×		X[2]				X[4]	X[I]	Х	X[6]	✓
Hair pigmentation							X[1]			X[1]	
NAILS											
Nail dystrophy			X[I]				X[I]			X[I]	
MUCOSAL	'								•	•	
Epistaxis	×						Х				
Gingival hyperplasia/ hypertrophy	X[20]		X[9] (74%)	X[4] (2–10%)	X[1]	X[2]	X[70] (74%)		Х	X[9] (19%)	✓
Oral ulceration			X[I]						Х	X[I]	
Xerostomia	×	X[2] (1–10%)	X[2]	X[I]	Х	Х	Х		Х	Х	✓

A Amlodipine; B Bepridil; D Diltiazem; F Felodipine; I Isradipine; Nic Nicardipine; Nif Nifedipine; Nim Nimodipine; Nis Nisoldipine; V Verapamil

Litt's D.E.R.M. © 2013 by Taylor & Francis Group, LLC



524



